



A P P R O V A L S ®

Certificate of Conformity/Approval

Certificate No.: SAA-241533-EA

Certificate Holder: Victron Energy B.V.
De Paal 35,
1351 JG, Almere Haven
Netherlands

Regulatory Definition: Power Supply or Charger

Product Description: Smart Battery Charger/Power Supply

Standard/s: AS/NZS 60335.2.29:2017 Inc A1
AS/NZS 60335.1:2020 Inc A1

Condition/s: Nil

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-241533-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 16 October 2024

Expiry Date: 16 October 2029

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 16-10-24 241533
Page 1 of 3



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
Smart IP43 Charger 12 30 (1+1) outputs	victron energy	Input: 120-240Vac 50-60Hz 470W Output: 12Vdc 30A Battery type: Lead-acid, Li-ion IP43, Class I
Smart IP43 Charger 12 30 (3) outputs	victron energy	Input: 120-240Vac 50-60Hz 470W Output: 12Vdc 30A Battery type: Lead-acid, Li-ion IP43, Class I
Smart IP43 Charger 12 50 (1+1) outputs	victron energy	Input: 120-240Vac 50-60Hz 780W Output: 12Vdc 50A Battery type: Lead-acid, Li-ion IP43, Class I
Smart IP43 Charger 12 50 (3) outputs	victron energy	Input: 120-240Vac 50-60Hz 780W Output: 12Vdc 50A Battery type: Lead-acid, Li-ion IP43, Class I
Smart IP43 Charger 24 16 (1+1) outputs	victron energy	Input: 120-240Vac 50-60Hz 470W Output: 24Vdc 16A Battery type: Lead-acid, Li-ion IP43, Class I
Smart IP43 Charger 24 16 (3) outputs	victron energy	Input: 120-240Vac 50-60Hz 470W Output: 24Vdc 16A Battery type: Lead-acid, Li-ion IP43, Class I
Smart IP43 Charger 24 25 (1+1) outputs	victron energy	Input: 120-240Vac 50-60Hz 780W Output: 24Vdc 25A Battery type: Lead-acid, Li-ion IP43, Class I

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 16-10-24 241533
Page 2 of 3



A P P R O V A L S ®

Certificate of Conformity/Approval

Model

Smart IP43 Charger 24|25 (3) outputs

Trade Name

victron energy

Rating/Marking

Input: 120-240Vac 50-60Hz 780W
Output: 24Vdc 25A
Battery type: Lead-acid, Li-ion
IP43, Class I

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 16-10-24 241533
Page 3 of 3